





 Most articles stated in this catalogue are available from stock, unless they were sold out after the publication of this catalogue. Contact us if you require a similar article that is not shown in this catalogue: alternatives might be available. TVH is a supplier of spare parts and accessories suitable for OEM-equipment. OEM-references and makes are purely indicative and do not imply that the accessories and/or spare parts originate from the original equipment or parts manufacturer. Please consult our general terms and conditions of sale on www.tvh.com/avv.


 De meeste in deze catalogus vermelde artikelen zijn uit voorraad leverbaar, tenzij ze na publicatie van deze catalogus uitverkocht werden. Contacteer ons indien u een gelijkaardig artikel wenst dat niet in deze catalogus is opgenomen: het is mogelijk dat wij ook dit kunnen leveren. TVH is een leverancier van reserveonderdelen en accessoires geschikt voor OEM-uitrusting. OEM-referenties en merken zijn enkel indicatief en betekenen niet dat de accessoires en/of onderdelen afkomstig zijn van de originele toestel- of onderdelenfabrikant. Gelieve onze algemene verkoopsvoorwaarden te consulteren op www.tvh.com/avv.

 La plupart des articles mentionnés dans ce catalogue sont disponibles sauf si épuisement du stock à la publication de ce catalogue. Contactez-nous si vous souhaitez un article similaire qui n'est pas repris dans ce catalogue : il est possible que nous pouvons vous le fournir. TVH est un fournisseur de pièces détachées et d'accessoires adaptables sur des marques constructeurs. Les références et marques constructeurs sont uniquement indicatives et n'impliquent pas que les accessoires et/ou pièces proviennent du fabricant de la machine ou de la pièce d'origine. Veuillez consulter nos conditions générales de vente sur www.tvh.com/avv.

 Die in dieser Liste aufgeführten Artikel sind in der Regel ab Lager lieferbar es sei denn, sie sind nach der Veröffentlichung des vorliegenden Katalogs ausverkauft. Kontaktieren Sie uns wenn Sie einen ähnlichen Artikel benötigen dieser aber nicht im Katalog enthalten ist: Alternativen könnten verfügbar sein. TVH ist Lieferant von Ersatzteilen und Zubehör die für die OEM – Ausstattung geeignet sind. OEM-Referenzen und Marken sind rein Indikativ und bedeuten nicht, dass das Zubehör und/ oder Ersatzteile vom Originalgeräte- oder Ersatzteilhersteller sind. Druckfehler vorbehalten. Alle Verkäufe unterliegen den allgemeinen Geschäftsbedingungen www.tvh.com/avv.

 La mayoría de los artículos que figuran en este catálogo se encuentran en stock, a menos que tras la publicación de este catálogo se hayan agotado. Contacte con nosotros si desea un artículo similar que no se halle en este catálogo : es posible que podamos ofrecerle aquel que usted necesita. TVH es un proveedor de recambios y accesorios adecuados para equipos OEM. Las referencias y marcas OEM mencionadas son meramente indicativas y no implican que los accesorios y / o recambios procedan del fabricante de maquinaria o recambios original. Por favor, consulte nuestras condiciones de venta en www.tvh.com/avv.

 A maioria dos artigos indicados neste catálogo estão disponíveis em stock, a menos que tenham sido vendidos após a publicação deste catálogo. Contate-nos se precisar de um artigo semelhante que não seja mostrado neste catálogo: alternativas podem estar disponíveis. A TVH é um fornecedor de peças de reposição e acessórios que são adequados para equipamentos OEM. As referências e as marcas OEM são meramente indicativas e não implicam que os acessórios e/ou peças de substituição são provenientes do fabricante original do equipamento ou das peças. Favor consulte nossos termos e condições gerais de venda no www.tvh.com/avv.

 La maggior parte dei ricambi elencati in questo catalogo sono a stock, a meno che dopo la pubblicazione di questo catalogo sono stati venduti. Contattateci se desiderate un articolo simile che non è riportato in questo catalogo: è possibile che possiamo offrire anche questi. TVH è un fornitore di pezzi di ricambio e accessori per OEM, riferimenti OEM e marche sono solo indicativi e non implicano che gli accessori e/o di componenti derivino dal costruttore originale o dal produttore del componente. Si prega di consultare i nostri termini di vendita su www.tvh.com/avv.

 Części z tego katalogu są zazwyczaj na stanie magazynowym. Również części które nie są wyszczególnione w katalogu mogą być dostarczone na zamówienie w najkrótszym możliwym terminie. Opis części O.E.M. jest używany informacyjnie i nie wskazuje na to, że dany produkt jest wyprodukowany przez podanego producenta. Zawartość katalogu może ulec zmianie bez wcześniejszego informowania o tym. Wszystkie użyte zdjęcia, rysunki, nazwy marek, opis i numery służą tylko do identyfikacji. Proszę zapoznać się z naszymi ogólnymi warunkami sprzedaży na www.tvh.com/avv.

 Запчасти из настоящего списка, как правило, имеются в запасе, если только он не распродан. Прочие, не фигурирующие в списке артикулы, могут быть поставлены в самые кратчайшие сроки. Указание оригинальных номеров производителя не предполагает обязательного оригинального происхождения самих деталей. Данный список может изменяться без предварительного уведомления. Все использованные фото, рисунки, иллюстрации, названия брендов, наименования и номера служат исключительно для цели идентификации. Пожалуйста, ознакомьтесь с нашими общими условиями продажи на www.tvh.com/avv.



AT YOUR SERVICE
IN 37 LANGUAGES
info@tvh.com



passionate people
clear communication **happy customers**
smart solutions excellent experiences
strong ambitions

Dear customer,

In 1969 Paul Thermote and Paul Vanhalst began servicing and selling agricultural machinery, construction machinery and forklift trucks. Today, TVH is one of the most respected names in the material handling industry. Over the past 50 years we have grown from 2 founders to more than 6000 employees with offices and distribution facilities on every continent.

We are committed to being the worldwide leading supplier of quality replacement parts, safety equipment, and accessories for the material handling and industrial equipment industry. While we take pride in our quality products, we know that without our customers, we would not exist. We are continually striving to increase our product range and to improve our services in order to be the true one-stop shop for our valued customers.

We are looking forward to working with you.

The Thermote & Vanhalst families



Watch our
company movie.



HOW CAN WE SERVE YOU?



TVH

All parts, all makes



Computer-controlled stock management
> 500 000 m² of warehousing



One-stop shop
> 750 000 stock items



Webshop & online support
> 37 000 000 known references



Technically skilled employees
Assistance in 37 languages
64 nationalities



65 parts branches worldwide
Happy customers in over 170 countries
Same-day shipment, next-day delivery

Quality is our priority

Is quality also a priority in your business? Rely on TVH as your partner.

In-depth product knowledge and specific testing equipment allows us to continuously improve processes and quality standards.



TV

Strong brands, guaranteed quality

TVH is your global one-stop shop for parts and accessories for material handling, industrial and agricultural equipment. Regardless of the make, type and year of construction of your material handling or industrial equipment machine: TVH always has a solution.

Reliable products and services contribute to the day-to-day success of your company. That's why we at TVH choose top quality brands for our maintenance, repair and operation products, just like you do.

In addition, our strong house brands guarantee an excellent range and quality standard for mechanical and hydraulic attachments, internal transport equipment, battery chargers and accessories ...

TOTALSOURCE

CAM
attachments

ENERGIC Plus






What can you expect more?

Our offer of **reconditioned parts** is unique in the market. Our technicians follow the strictest quality procedures to finalise the reconditioning. After extensive testing, the parts are then placed in stock.

We also repair **electronic parts** in our high-tech electronic department. Our range includes printed circuit boards, electronic speed controllers, displays, chargers, contactors, joysticks, accelerators and directional switches.



Discover our outlet store with new and second-hand products at rock-bottom prices.

Go to www.tvh.com/tvhbay



Visit our webshop whenever and wherever you want.

Request your login details now and benefit from the many advantages offered in MyTotalSource!



Discover the possibilities of the **MyTotalSource app**.

The MyTotalSource app offers you the possibility to request offers, place orders and scan bar codes of references from your smartphone.

For any questions, call or mail our help desk for free support:

T +32 56 43 48 66
ecommerce@tvh.com

www.tvh.com

TVH EQUIPMENT

Second-hand equipment & Electric warehousing




- 600 lift trucks in stock
- 300 mobile elevating work platforms
- Telehandlers and all-terrain trucks
- Masts and attachments

Go to www.tvh-used-equipment.com





STAY TUNED



**DOWNLOAD CATALOGUES &
WATCH PRODUCT MOVIES**

www.tvh.com/downloads



SUBSCRIBE TO OUR NEWSLETTER

www.tvh.com/newsletter



READ BLOG POSTS WITH TIPS & TRICKS

www.tvh.com/blog



FOLLOW US ON SOCIAL MEDIA





About TVH	I
Nice to know	1
Forklift & turf seats	7
· Product line MAXIMO	8
· Product line PRIMO	11
· Product line MSG 20	20
· Product line B 12	22
Construction seats	23
· Product line ACTIMO	24
Agricultural seats	31
· Product line MAXIMO	32
· Product line COMPACTO/PRIMO Professional	41
· Product line UNIVERSO	50



NOTES

Handwriting practice area with horizontal dotted lines.



NICE TO KNOW



NICE TO KNOW



TVH offers an extensive range of GRAMMER seats and accessories for material handling, construction and agricultural equipment.


Why choose Grammer?

- Global market leader and trendsetter for off-road equipment
- Global partner to the vehicle manufacturing industry and represented around the world
- Constantly engaged in the development and production of innovative, flexible solutions to meet challenges in today's competitive global market
- Produces products with superior quality, safety, ergonomics, comfort and value for the users

Colors



Fabric
anthracite -
green - silver



Fabric
anthracite -
silver




Fabric
blue - black



Fabric
yellow - black




PVC
black



PVC
imitation leather

NICE TO KNOW


User's and maintenance instructions of lap belts



Correct positioning

The webbing should pass across bone structure i.e. the lap (hips) and the buckle should lie on or just below the hip.


Anchor points should be positioned behind the wearer's hips between 30° and 80° below the height of the hips and at least 35 cm apart.



Installation


The installation of the seat belt, the quality of its construction and its connection to the vehicle ultimately determine the load that can be absorbed. Wherever possible anchor points provided by the vehicle manufacturer should be used. In the event that these are not available, a level of restraint can be provided by fabricating anchor points on the chassis, seat, or solid metal section of the vehicle.

We recommend reinforcing the structure around the hole created, ensuring there is no serious corrosion, distortion or fracture within 30 cm of the anchor point created. Where the belt is anchored to the seat frame, the frame must be securely attached to the vehicle.



Rapid belt (loop fixing)

Loop belt attachment ends should be prevented from moving in excess of 25 mm. This can be achieved by attaching it to an intersection of the frame.



Buckle


FASTENING: Insert belt tongue into buckle, a positive locking 'click' indicates a secure lock.

RELEASING: Press the red release button and the tongue will be released.

Adjusters

TIGHTENING: Pull free end of webbing through adjuster to obtain the required length.

LOOSENING: Tilt adjuster and slide it along webbing until suitable length is reached.



Belts with Automatic Locking Retractors (ALR)

The webbing should be pulled from the retractor in one motion. These units automatically lock after the tongue is engaged in the buckle and a little webbing is retracted.

Once the unit has been locked the webbing must be allowed to retract fully before it can once again be pulled out.

To check belts with automatic locking retractors: pull the webbing fully from the retractor, allow a couple of inches to retract - further extraction should not be possible.

Belts with Manually Unlocking Retractors (MUR)

Hold down lever on retractor to allow webbing to release/retract as required.

To check Belts with Manually Unlocking Retractors: when the lever is released it should not be possible to pull out the webbing.

Belts with Emergency Locking Retractors (ELR)

These must be installed & fixed at their intended design angle.

They allow freedom of movement & lock in case of an emergency. To check Belts with Emergency Locking Retractors: tug sharply at webbing and observe that the retractor locks.

Important

- These instructions should be passed on to the owner / driver.
- A belt is designed to be used by only one person and not around a child seated on a passenger's lap.
- It is important to wear the belt on each journey.
- It is not intended for children under 4 years old unless used with an appropriate restraint.
- The belt should at all times be adjusted and used in accordance with the instructions and should be a snug fit.
- Webbing must not be allowed to chafe against sharp edges.
- Avoid twisting webbing.
- Do not make alterations or additions to the belt. If in doubt consult the manufacturer.
- Belts that have been cut, frayed, damaged or used in an accident should be replaced.
- After an impact the belt & anchor points should be checked.
- To clean use warm soapy water only. Do not use chemical cleaners, bleach or dye.
- Contamination with petrol, grease and acid will be detrimental.
- Static belts should be stowed when not in use, to avoid damage.



Handwriting practice area with 30 horizontal dotted lines.



Handwriting practice lines consisting of 25 horizontal dotted lines.




**FORKLIFT &
TURF SEATS**

Product line MAXIMO

The MAXIMO forklift class is designed for big forklift trucks and wheel loaders. The versatility of the added features will convince you. **Working always means sitting.**

MAXIMO XXL (MSG 95AL/731, MSG95A/731)



Pneumatic suspension



Low-frequency suspension



Pneumatic lumbar support



Fore/aft isolation



Automatic positioning system



Passive seat climate system



Automatic weight system


- Pneumatic Low-frequency suspension
- Automatic weight adjustment: 50 – 130 kg
- Pneumatic lumbar support
- Adjustable shock absorber for vertical suspension
- Horizontal suspension
- Seat cushion depth and adjustable anglement
- Stepless height adjustment
- Wide seat cushion
- Passive seat climate system
- Integrated backrest extension
- Operator restraint system
- Seat switch
- APS: automatic position system

Seats	Description	REF
Standard version	Fabric (blue-black), climate air compressor 12 V	100BC2356
Alternative version	PVC (black)	100BC2774

Spare parts	Description	REF
Seat cushion	PVC	100BC2215
Backrest cushion	PVC	100BC2216
Cushion kit	PVC, heated	100BC2358
Seat cushion	Fabric	100BC2359
Backrest cushion	Fabric	100BC2360
Backrest extension	Fabric	100BC2367
Cushion kit	Fabric, heated	100BC2361
Slide rails		100BC2250
Switch		100BC2362
Shock absorber	Horizontal	100BC2445
Shock absorber	Vertical	100BC2430
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2483

Optional features	Description	REF
Head rest	PVC	100BC2249
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm adjustable height, folding	100BC2231
Document holder		100BC2144

MAXIMO L (MSG 95A/721 12 V)



Pneumatic suspension



Automatic weight system



Mechanical lumbar support



Fore/aft isolation



Automatic positioning system


- Pneumatic suspension
- Weight adjustment: 50 – 130 kg
- Mechanical lumbar support
- Seat switch
- Stepless height adjustment up to 60 mm
- Operator restraint system
- APS: automatic position system

Seats	Description	REF
Standard version	Fabric (blue-black)	100BC2363
Alternative version	PVC (black)	100BC2775

Spare parts	Description	REF
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2242
Cushion set	PVC, heated 12 V	100BC2228
Seat cushion	Fabric	100BC2365
Backrest cushion	Fabric	100BC2366
Cushion set	Fabric, heated 12 V	100BC2368
Slide rails		100BC2250
Switch		100BC2362
Shock absorber	Horizontal	100BC2445
Shock absorber	Vertical	100BC2430
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2484

Optional features	Description	REF
Head rest	PVC	100BC2249
Backrest extension	Fabric	100BC2367
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Document holder		100BC2144

MAXIMO M (MSG 85/721)



Mechanical suspension



Mechanical lumbar support



Manual weight adjustment

- Mechanical suspension
- Weight and height adjustable
- Mechanical lumbar support
- Narrow seat cushion
- Seat switch
- Backrest adjustable anglement
- Operator restraint system

Seats	Description	REF
Standard version	PVC (black)	100BC2369
Alternative version	Fabric (blue-black)	100BC2371



Spare parts	Description	REF
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2216
Seat cushion	PVC, heated 12 V	100BC2373
Backrest cushion	PVC, heated 12 V	100BC2374
Cushion set	PVC, heated 12 V	100BC2248
Seat cushion	Fabric	100BC2365
Backrest cushion	Fabric	100BC2366
Cushion set	Fabric, 24 V	100BC2375
Slide rails		100BC2257
Switch		100BC2376
Shock absorber	Vertical	100BC2485
Roller kit		100BC2486
Complete suspension		100BC2487

Optional features	Description	REF
Head rest	PVC	100BC2249
Backrest extension	Fabric	100BC2367
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Document holder		100BC2144

Product line PRIMO

A new dimension of suspension comfort, all while keeping a low profile. With the new PRIMO product family, GRAMMER presents an innovative seating concept that offers unequalled opportunities. **Seating comfort in new dimensions.** More than 1 million satisfied drivers on a MSG65/MSG75.

PRIMO EVOLUTION (MSG75EL/721)



- Pneumatic low-frequency suspension
- Automatic weight adjustment: 45 kg – 170 kg
- Pneumatic lumbar support
- Active seat climate system
- Seat cushion width of 490 mm
- Seat cushion depth and length adjustment
- Heating
- Adjustable backrest height
- Retractable back extension
- Suspension stroke: 110 mm

Seats	Description	REF
Standard version	Fabric (anthracite-silver), duo belt 12 V	100BC2509

Spare parts	Description	REF
Seat cushion	Fabric	100BC2511
Backrest cushion	Fabric	100BC2512
Backrest extension	Fabric	100BC2513
Slide rails		100BC2514
Fore/aft isolation		100BC2515
Switch		100BC2516
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467



Pneumatic suspension



Low-frequency suspension



Pneumatic lumbar support





Passive seat climate system



Automatic weight system

Optional features	Description	REF
Armrest	Left-hand, 380 x 80 mm	100BC2518
Armrest	Right-hand, 380 x 80 mm	100BC2517
Seat belt	Dual, switch, ELR	100BC2519
Document holder		100BC2144

PRIMO EL PLUS (MSG75EL/731)



Pneumatic suspension



Low-frequency suspension



Mechanical lumbar support



Active seat climate system



Automatic weight system



- Pneumatic low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Passive seat climate system
- Seat shell width: 530 mm
- Mechanical lumbar support
- Heating
- Adjustable backrest height
- Integrated restraint system
- Suspension stroke: 110 mm

Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	100BC2520

Spare parts	Description	REF
Seat cushion	PVC	100BC2215
Seat cushion	PVC, heated 12 V	100BC2522
Backrest cushion	PVC	100BC2216
Backrest cushion	PVC, heated 12 V	100BC2374
Seat cushion	Fabric, heated 12 V	100BC2523
Backrest cushion	Fabric, heated 12 V	100BC2524
Slide rails		100BC2514
Fore/aft isolation		100BC2515
Switch		100BC2516
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467
Complete suspension		100BC2525

Optional features	Description	REF
Head rest	PVC	100BC2249
Backrest extension	Fabric	100BC2367
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Document holder		100BC2144

PRIMO XL PLUS (MSG75G/721)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support


- Pneumatic suspension
- 12 V compressor
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 480 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Mechanical lumbar support
- Backrest with adjustable anglement
- Integrated backrest extension

Seats	Description	REF
Standard version	PVC (black), Seat belt duo 12 V	100BC2526

Spare parts	Description	REF
Seat cushion	PVC	100BC2241
Seat cushion	PVC, heated 12 V	100BC2373
Backrest cushion	PVC	100BC2216
Backrest cushion	PVC, heated 12 V	100BC2374
Seat cushion	Fabric	100BC2554
Seat cushion	Fabric, matrix, heated 12 V	100BC2555
Backrest cushion	Fabric	100BC2556
Backrest cushion	Fabric, matrix, heated 12 V	100BC2557
Cable set	Heating 12 V	100BC2560
Slide rails		100BC2514
Fore/aft isolation		100BC2515
Switch		100BC2516
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467

Optional features	Description	REF
Head rest	PVC	100BC2249
Head rest	Fabric	100BC2558
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Armrest	Left-hand, 320 x 60 mm	100BC2562
Armrest	Right-hand, 320 x 60 mm	100BC2561
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Dual, switch, ELR	100BC2519
Document holder		100BC2144

PRIMO XXL (MSG75G/522)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Low-frequency suspension


- Pneumatic low-frequency suspension
- 12 V compressor
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 450 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated backrest extension

Seats	Description	REF
Standard version	Fabric (blue-black), low-frequency 12 V	100BC2563

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	100BC2271
Seat cushion	PVC, heated 48 V	100BC2565
Backrest cushion	PVC, 12 V	100BC2566
Backrest cushion	PVC, matrix, heated 48 V	100BC2567
Seat cushion	Fabric	100BC2568
Seat cushion	Fabric, heated 12 V	100BC2569
Seat cushion	Fabric, matrix, heated 48 V	100BC2570
Backrest cushion	Fabric	100BC2571
Backrest cushion	Fabric, heated 12 V	100BC2572
Backrest cushion	Fabric, matrix, heated 48 V	100BC2573
Cable set	Heating 12 V	100BC2464
Cable set	Heating 24 V	100BC2575
Cable heating set	48 V	100BC2576
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Switch		100BC2577
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467

Optional features	Description	REF
Backrest extension	Fabric	100BC2574
Armrest	Left-hand, 320 x 60 mm	100BC2578
Armrest	Right-hand, 60 x 320 mm	100BC2278
Seat belt	Retractor with switch right ELR	100BC2471
Document holder		100BC2144

PRIMO XL (MSG75G(L)/521)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Low-frequency suspension

- Pneumatic low-frequency suspension
- 12 V compressor (24 V for forklift trucks and compact construction machines)
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated backrest extension

Seats	Description	REF
Standard version	Fabric (anthracite-silver), suspension, dual belt, height-adjustable backrest extension, 12 V	100BC2579
Alternative version	Fabric (anthracite-silver), suspension, dual belt, height-adjustable backrest extension, 24 V	100BC2581

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	100BC2583
Seat cushion	PVC, heated 48 V	100BC2584
Backrest cushion	PVC, heated 12/24 V	100BC2273
Backrest cushion	PVC, heated 48 V	100BC2585
Seat cushion	Fabric, heated 12 V	100BC2586
Seat cushion	Fabric	100BC2587
Backrest cushion	Fabric, heated 12 V	100BC2588
Backrest cushion	Fabric, heated 48 V	100BC2589
Cable set	Heating 12 V	100BC2464
Cable set	Heating 24 V	100BC2575
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Switch		100BC2577
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467


Optional features	Description	REF
Head rest	Fabric	100BC2590
Head rest	PVC	100BC2249
Armrest	Left-hand, 320 x 60 mm	100BC2578
Armrest	Right-hand, 60 x 320 mm	100BC2278
Document holder		100BC2144

PRIMO L (MSG75G/521)



- Pneumatic low-frequency suspension
- 12 V compressor (24 V for forklift trucks and compact construction machines)
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support

Seats	Description	REF
Standard version	PVC (black), dual belt 12 V	100BC2591
Alternative version	Fabric (blue-black), dual belt 12 V	100BC2593
Alternative version	Fabric (blue-black), dual belt 24 V	100BC2595



Pneumatic suspension



Manual weight adjustment




Mechanical lumbar support

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	100BC2583
Backrest cushion	PVC, heated 12 V	100BC2273
Seat cushion	Fabric, heated 12 V	100BC2586
Backrest cushion	Fabric, heated 48 V	100BC2589
Backrest cushion	Fabric, heated 12 V	100BC2588
Cable set	Heating 12 V	100BC2464
Cable set	Heating 24 V	100BC2575
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Switch		100BC2577
Shock absorber	Vertical	100BC2465
Compressor	12 V	100BC2466
Air spring		100BC2467

Optional features	Description	REF
Head rest	PVC	100BC2249
Head rest	Fabric	100BC2590
Armrest	Left-hand, 60 x 320 mm, adjustable angle	100BC2578
Armrest	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Document holder		100BC2144

PRIMO XXM (MSG65/522)



Mechanical
suspension



Manual weight
adjustment



Mechanical
lumbar support


- Mechanical low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 450 mm
- Suspension stroke: 80 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated operator system

Seats	Description	REF
Standard version	PVC (black), switch, safety belt	100BC2597
Alternative version	Fabric (blue-black), switch, safety belt	100BC2599

Spare parts	Description	REF
Seat cushion	PVC	100BC2270
Seat cushion	PVC, heated 12 V	100BC2271
Seat cushion	PVC, heated 48 V	100BC2565
Backrest cushion	PVC	100BC2601
Backrest cushion	PVC, 12 V	100BC2566
Backrest cushion	Fabric, 48 V	100BC2567
Seat cushion	Fabric	100BC2568
Seat cushion	Fabric, 12 V	100BC2569
Seat cushion	Fabric, matrix, heated 48 V	100BC2570
Backrest cushion	Fabric	100BC2571
Backrest cushion	Fabric, heated 12 V	100BC2572
Backrest cushion	Fabric, matrix, heated 48 V	100BC2573
Cable set	Heating 12 V	100BC2464
Cable set	Heating 24 V	100BC2575
Cable heating set	48 V	100BC2576
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Shock absorber	Vertical	100BC2465

Optional features	Description	REF
Head rest	PVC	100BC2249
Head rest	Fabric	100BC2590
Armrest	Left-hand, 320 x 60 mm	100BC2578
Armrest	Right-hand, 60 x 320 mm	100BC2278
Seat belt	Retractor with switch right ELR	100BC2471
Document holder		100BC2144

PRIMO XM (MSG65/521)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support


- Mechanical low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 80 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated operator system

Seats	Description	REF
Standard version	PVC (black), dual belt	100BC2602
Alternative version	Fabric (blue-black), dual belt	100BC2604

Spare parts	Description	REF
Seat cushion	PVC	100BC2606
Seat cushion	PVC, heated 12 V	100BC2583
Seat cushion	PVC, heated 48 V	100BC2584
Backrest cushion	PVC	100BC2272
Backrest cushion	PVC, heated 12 V	100BC2273
Backrest cushion	PVC, heated 48 V	100BC2585
Seat cushion	Fabric	100BC2587
Seat cushion	Fabric, heated 12 V	100BC2586
Seat cushion	Fabric, matrix, heated 48 V	100BC2607
Backrest cushion	Fabric, heated 48 V	100BC2589
Backrest cushion	Fabric, heated 12 V	100BC2588
Backrest cushion	Fabric, matrix, heated 48 V	100BC2608
Cable set	Heating 12 V	100BC2276
Cable set	Heating 24 V	100BC2609
Cable heating set	48 V	100BC2576
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Switch		100BC2577
Shock absorber	Vertical	100BC2465

Optional features	Description	REF
Head rest	PVC	100BC2249
Head rest	Fabric	100BC2590
Armrest	Left-hand, 60 x 320 mm, adjustable angle	100BC2277
Armrest	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Seat belt	Retractor, ALR	100BC2145
Document holder		100BC2144

PRIMO M (MSG65/521)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

- Mechanical, low-profile suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat width: 470 mm
- Suspension stroke: 60 mm
- Fore/aft adjustment: 210 mm
- Backrest with angle adjustment
- Mechanical lumbar support


Seats	Description	REF
Standard version	PVC (black), dual belt	100BC2784
Alternative version	Fabric (blue-black), dual belt	100BC2783

Spare parts	Description	REF
Seat cushion	PVC	100BC2606
Seat cushion	PVC, heated 12 V	100BC2583
Seat cushion	PVC, heated 48 V	100BC2584
Backrest cushion	PVC	100BC2272
Backrest cushion	PVC, heated 12 V	100BC2273
Backrest cushion	PVC, heated 48 V	100BC2585
Seat cushion	Fabric	100BC2587
Seat cushion	Fabric, heated 12 V	100BC2586
Seat cushion	Fabric, matrix, heated 48 V	100BC2607
Backrest cushion	Fabric, heated 48 V	100BC2589
Backrest cushion	Fabric, heated 12 V	100BC2588
Backrest cushion	Fabric, matrix, heated 48 V	100BC2608
Cable set	Heating 12 V	100BC2276
Cable set	Heating 24 V	100BC2609
Cable heating set	48 V	100BC2576
Adapter	Seat switch	100BC2610
Slide rails		100BC2462
Fore/aft isolation		100BC2472
Switch		100BC2577
Shock absorber	Vertical	100BC2465

Optional features	Description	REF
Head rest	PVC	100BC2249
Head rest	Fabric	100BC2590
Armrests	Left-hand, 60 x 320 mm, adjustable angle	100BC2277
Armrests	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Seat belt	Static	100BC2611
Seat belt	Seat belt ELR	100BC2281
Seat belt	Retractor with switch right ELR	100BC2471
Document holder		100BC2144

Product line MSG 20

MSG 20



Mechanical suspension



Manual weight adjustment

The MSG 20 is designed to improve the vibration characteristics of the forklift truck and offers every driver a maximum of individual comfort.


- Rapid weight adjustment: 50 – 130 kg
- Backrest adjustable anglement
- Fore/aft adjustment: 150 mm

Seats	Description	REF
Standard version	PVC (black)	100BC2392
Alternative version	PVC (black), seat switch	100BC2396
Alternative version	PVC (black), seat switch, slide rail 210 mm	100BC2398
Alternative version	PVC (black), seat switch, seat belt	100BC2400
Alternative version	Fabric (blue-black), seat switch	100BC2402

Spare parts	Description	REF
Seat cushion	PVC	100BC2388
Backrest cushion	PVC	100BC2390
Cushion set	PVC, 12/24 V	100BC2385
Cushion set	PVC, 48 V	100BC2386
Seat cushion	Fabric	100BC2389
Backrest cushion	Fabric	100BC2391
Cushion kit	Fabric 12/24 V	100BC2382
Cushion kit	Fabric, matrix, heated 12/24 V	100BC2488
Cushion kit	Fabric, matrix, heated 48 V	100BC2384
Slide rails		100BC2345
Switch		100BC2404
Shock absorber	Vertical	100BC2489

Optional features	Description	REF
Armrest	Left-hand, 300 x 54 mm, folding	100BC2377
Armrest	Right-hand, 300 x 54 mm, folding	100BC2378
Seat belt	Static	100BC2381
Seat belt	Retractor, MUR	100BC2380
Seat belt	Dual sensitive, ELR	100BC2379
Document holder		100BC2387

MSG 20 NARROW



Mechanical
suspension



Manual weight
adjustment

The narrow-version MSG 20 is a comfort seat with full suspension, that is especially created for vehicles with limited mounting height and width.

- Rapid weight adjustment: 50 – 130 kg
- Backrest adjustable anglement
- Fore/aft adjustment


Seats	Description	REF
Standard version	PVC (black)	100BC2405
Alternative version	PVC (black), switch	100BC2407
Alternative version	Fabric (blue-black)	100BC2409
Alternative version	Fabric (blue-black), switch	100BC2412

Spare parts	Description	REF
Seat cushion	PVC	100BC2414
Backrest cushion	PVC	100BC2415
Cushion kit	PVC, heated 12/24 V	100BC2416
Cushion kit	PVC, heated 48 V, 450 mm	100BC2417
Seat cushion	Fabric	100BC2418
Backrest cushion	Fabric	100BC2419
Cushion kit	Fabric, matrix, heated 48 V	100BC2384
Slide rails		100BC2345
Switch		100BC2404
Shock absorber	Vertical	100BC2492

Optional features	Description	REF
Armrest	Left-hand, 300 x 54 mm, folding	100BC2377
Armrest	Right-hand, 300 x 54 mm, folding	100BC2378
Seat belt	Static	100BC2381
Seat belt	Retractor, MUR	100BC2380
Document holder		100BC2387

Product line B 12

B 12



Mechanical suspension



Manual weight adjustment

For vehicles with extremely tight installation dimension tolerances. The new design offers budget-friendly seating comfort. Comfort and safety with a minimal amount of space.

- Weight adjustment: 50 – 120 kg
- Backrest adjustable anglement
- Fore/aft adjustment

Seats	Description	REF
Standard version	PVC (black)	100BC2776
Alternative version	PVC (black), switch	100BC2495
Alternative version	PVC (black), switch, belt	100BC2777

Spare parts	Description	REF
Seat cushion	PVC	100BC2497
Backrest cushion	PVC	100BC2498
Seat cushion	Fabric	100BC2499
Backrest cushion	Fabric	100BC2500
Slide rails		100BC2501
Switch		100BC2502

Optional features	Description	REF
Armrest	Left-hand, 270 x 65 mm, folding	100BC2503
Armrest	Right-hand, 270 x 65 mm, folding	100BC2504
Seat belt	Static, Seat belt	100BC2506
Seat belt	Retractor, MUR	100BC2785
Seat belt	Dual sensitive, ELR	100BC2508
Document holder		100BC2505




CONSTRUCTION SEATS

Product line ACTIMO

The super comfort seat for big machines sets exemplary benchmarks: the extra-high, comfortably formed backrest offers optimal back and side support because of the accentuated side contours. The multiple adjustment possibilities are established through ergonomically sensible, reasoned user guidance to the driver. Because of this user comfort, the individual adjustment to the optimum seat position is easily found. **The perfect foundation for good work.**

ACTIMO EVOLUTION (MSG 95EL/742, 722 12/24 V)



- Pneumatic low-frequency suspension
- Suspension stroke: 120 mm
- Stepless height adjustment: 80 mm
- Active weight adjustment: 50 – 130 kg
- Active seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Backrest adjustable anglement
- Quadruple adjustable damper for vertical suspension
- Length adjustment: 210 mm
- Adjustable seat cushion length and angle
- Heating
- Head rest
- Height- and angle-adjustable armrests with fabric
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), laterally operated, air suspension 12 V, including adapter cable 12 V	100BC2612
Standard version	Fabric (anthracite-silver), including adapter cable 24 V	100BC2614
Standard version	Fabric (anthracite-silver), front-operated, air suspension 12 V, including adapter cable 12 V, preparation for control carrier boxes	100BC2616
Standard version	Fabric (anthracite-silver), front-operated, air suspension 24 V, including adapter cable 24 V, preparation for control carrier boxes	100BC2618



Control carriers

Spare parts	Description	REF
Seat cushion	Fabric	100BC2620
Backrest cushion	Fabric	100BC2621
Backrest extension	Fabric	100BC2622
Armrest	Left-hand	100BC2624
Armrest	Right-hand	100BC2625
Slide rails		100BC2623
Switch	22 ohm	100BC2141

Optional features	Description	REF
Document holder		100BC2144
Control carrier box	Left, with mounting parts	100BC2626
Control carrier box	Right, with mounting parts	100BC2627



Pneumatic suspension



Fore/aft isolation



Pneumatic lumbar support



Low-frequency suspension



Automatic positioning system



Active seat climate system




Electronic weight system



Adjustable shock absorber

ACTIMO XXL (MSG 97AL/722)



Control carriers



Pneumatic suspension



Fore/aft isolation



Pneumatic lumbar support



Passive seat climate system



Automatic positioning system



Adjustable shock absorber



Automatic weight system


- Pneumatic low-frequency suspension
- Suspension stroke: 100 mm
- Stepless height adjustment: 80 mm
- Automatic weight adjustment: 50 – 130 kg
- Passive seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Heating
- Adjustable seat cushion length and angle
- Adjustable shock absorber for vertical suspension
- APS: automatic positioning system

Seats	Description	REF
Standard version	Fabric (yellow-black), air suspension, 24 V compressor, extra-wide, ruggedised suspension, length adjustment: 170 mm	100BC2628

Spare parts	Description	REF
Seat cushion	PVC	100BC2630
Backrest cushion	PVC	100BC2631
Seat cushion	Fabric	100BC2661
Backrest cushion	Fabric	100BC2634
Seat cushion	Fabric, 24 V	100BC2633
Backrest cushion	Fabric, 24 V	100BC2780
Cushion set	Fabric, heated 24 V	100BC2636
Slide rails set		100BC2637
Switch		100BC2182

Optional features	Description	REF
Head rest	PVC	100BC2632
Head rest	With matrix heated, with logo	100BC2635
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Retractor, ALR	100BC2145
Seat belt	ELR, left-hand	100BC2638
Lateral suspension	Height: 18 mm	100BC2213
Lateral suspension	Reinforced version	100BC2639
Swivel	360°, height: 31 mm	100BC2640
Document holder		100BC2144

ACTIMO XL (MSG 95A/722)



Control carriers

- Pneumatic suspension
- Suspension stroke: 100 mm
- Stepless height adjustment: 80 mm
- Automatic weight adjustment: 50 – 130 kg
- Passive seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable shock absorber for vertical suspension
- Adjustable seat cushion length and angle
- APS: automatic positioning system

Seats	Description	REF
Standard version	Fabric (yellow-black), narrow suspension (308 mm) 12 V, without low-frequency suspension	100BC2641
Standard version	Fabric (yellow-black), narrow suspension (308 mm) 24 V, without low-frequency suspension	100BC2643

Spare parts	Description	REF
Seat cushion	Fabric	100BC2646
Seat cushion	Fabric, 12 V	100BC2647
Backrest cushion	Fabric	100BC2648
Backrest cushion	Fabric, 12 V	100BC2649
Heating cushion set	24 V	100BC2650
Seat cushion	PVC	100BC2630
Backrest cushion	PVC	100BC2631
Heating	24 V	100BC2651
Heating cable set	12 V	100BC2652
Slide rails		100BC2210
Switch + contact plate	22 ohm	100BC2168

Optional features	Description	REF
Head rest	Matrix, with logo	100BC2635
Head rest	PVC	100BC2632
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm adjustable height, folding	100BC2231
Seat belt	Retractor, ALR	100BC2145
Seat belt	ELR, left-hand	100BC2638
Lateral suspension	Height: 18 mm	100BC2213
Lateral suspension	Reinforced version	100BC2639
Swivel	360°, height: 31 mm	100BC2640
Document holder		100BC2144



Pneumatic suspension



Fore/aft isolation



Pneumatic lumbar support



Passive seat climate system



Automatic positioning system




Adjustable shock absorber



Automatic weight system

ACTIMO M (MSG 85/722)



Control carriers



Mechanical suspension



Manual weight system



Mechanical lumbar support


- Mechanical suspension
- Weight adjustment: 50 – 130 kg
- Suspension stroke: 100 mm
- Mechanical lumbar support
- Height adjustment: 60 mm
- Adjustable seat cushion length and angle

Seats	Description	REF
Standard version	Fabric (yellow-black)	100BC2657
Standard version	PVC (imitation leather)	100BC2659

Spare parts	Description	REF
Seat cushion	Fabric	100BC2661
Seat cushion 550 mm	Fabric	100BC2662
Backrest cushion	Fabric	100BC2634
Seat cushion	Fabric, heated 12 V	100BC2663
Seat cushion	Fabric, heated 12 V, extra wide: 550 mm	100BC2664
Seat cushion	Fabric, heated 24 V, extra wide: 550 mm	100BC2665
Seat cushion	PVC	100BC2630
Backrest cushion	PVC	100BC2631
Slide rails		100BC2250
Switch + contact plate		100BC2258

Optional features	Description	REF
Head rest	PVC	100BC2632
Backrest extension	With matrix heated, with logo	100BC2635
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Retractor, ALR	100BC2145
Seat belt	ELR, left-hand	100BC2638
Swivel	360°, height: 31 mm	100BC2640
Document holder		100BC2144

ACTIMO M WITH CONTROL CARRIER (MSG 85/722)



Control carriers



Mechanical suspension



Manual weight system



Mechanical lumbar support

- Mechanical suspension
- Weight adjustment: 50 – 130 kg
- Mechanical lumbar support
- Height adjustment
- Adjustable seat cushion length and angle
- Folding armrests: 80 x 320 mm
- Head rest

Seats	Description	REF
Standard version	Fabric (yellow-black)	100BC2666
Standard version	PVC (imitation leather)	100BC2668

Spare parts	Description	REF
Seat cushion	Fabric	100BC2661
Seat cushion 550 mm	Fabric	100BC2662
Backrest cushion	Fabric	100BC2634
Seat cushion	Fabric, heated 12 V	100BC2663
Seat cushion	Fabric, heated 12 V, extra wide: 550 mm	100BC2664
Seat cushion	Fabric, heated 24 V, extra wide: 550 mm	100BC2665
Seat cushion	PVC	100BC2630
Backrest cushion	PVC	100BC2631
Slide rails		100BC2250
Switch + contact plate		100BC2258

Optional features	Description	REF
Head rest	PVC	100BC2632
Backrest extension	With matrix heated, with logo	100BC2635
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Retractor, ALR	100BC2672
Document holder		100BC2144


SEAT SHELL S 44

Seat shell in narrow version with seat climate ducts



Seats	Description	REF
Standard version	PVC (black - imitation leather)	100BC2673
Standard version	Fabric (black)	100BC2674

Optional features	Description	REF
Fore/aft adjustment		100BC2675
Seat belt	Retractor, ALR	100BC2327




SEAT SHELL S 38

Seat shell in wide version with seat climate ducts



Seats	Description	REF
Standard version	PVC (black - imitation leather)	100BC2676

Optional features	Description	REF
Fore/aft adjustment		100BC2675
Seat belt	Retractor, ALR	100BC2327





NOTES

Handwriting practice lines consisting of 25 horizontal dotted lines.




AGRICULTURAL SEATS

Product line MAXIMO

Our product line Maximo offers maximum seating comfort for midsized to large tractors. The added features of our Maximo models are no added luxury but offer proven health benefits daily. The ergonomic design of the tapered backrest, the extra wide cushions and armrests combine maximum freedom of movement with safety. Numerous adjustment possibilities help to shape the Maximo seat to your ideal work posture. **Health is worth a maximum of seat comfort.**

MAXIMO EVOLUTION ACTIVE (MSG 95EAC/741 12 V)



- Air suspension (12 V compressor)
- Electronically and actively controlled suspension system
- Active weight adjustment: 50 - 130 kg
- Stepless height adjustment
- Suspension stroke: 120 mm
- Height adjustment: 80 mm
- Adjustment of damping
- Fore/aft isolation
- Lateral suspension
- Length adjustment: 210 mm
- Adjustable seat cushion depth & angle
- Adjustable backrest angle
- Swivel: 20° left / right
- Integrated backrest extension
- Active seat climate system
- Seat heating
- Seat cushion width: extra wide 550 mm
- Operator presence switch (OPS)
- Height & adjustable angleable armrests with fabric
- Integrated backrest extension
- Pneumatic lumbar support
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	100BC2135
Fendt version	Fabric (anthracite-silver), switch diagnostic ability 122/510 ohm	100BC2136

Spare parts	Description	REF
Seat cushion	Fabric	100BC2137
Backrest cushion	Fabric	100BC2138
Backrest extension	Fabric	100BC2139
Armrest	Left-hand	100BC2142
Armrest	Right-hand	100BC2143
Slide rails		100BC2140
Switch	22 ohm	100BC2141
Switch	Fendt version	100BC2778
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2435
Roller kit		100BC2431
Compressor		100BC2432
Air spring		100BC2433
Complete suspension		100BC2434

Optional features	Description	REF
Seat belt	Retractor, ALR	100BC2145
Document holder		100BC2144



Pneumatic suspension



Active suspension



Pneumatic lumbar support



Swivel



Automatic positioning system



Active seat climate system



Automatic weight system



Automatic shock absorber




Fore/aft isolation



Lateral suspension

MAXIMO EVOLUTION DYNAMIC (MSG 95EL/741 12 V)



- Low-frequency air suspension (12 V compressor)
- Active weight adjustment: 50 - 130 kg
- Stepless height adjustment: 80 mm
- Suspension stroke: 120 mm
- Automatic shock absorber
- Fore/aft isolation
- Lateral suspension
- Length adjustment: 210 mm
- Adjustable seat cushion depth & angle
- Adjustable backrest angle
- Swivel: 20° left / right
- Integrated backrest extension
- Active seat seat climate system
- Seat heating
- Seat cushion width: extra wide 550 mm
- Operator presence switch (OPS)
- Height & adjustable angleable armrests with fabric cover
- Integrated backrest extension
- Pneumatic lumbar support
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	100BC2154
Same version	Fabric (anthracite-silver), switch diagnostic ability, 3000/1500 ohm	100BC2156
Fendt version	Fabric (anthracite-silver), switch diagnostic ability, 510/122 ohm	100BC2158

Spare parts	Description	REF
Seat cushion	Fabric	100BC2152
Backrest cushion	Fabric	100BC2160
Backrest extension	Fabric	100BC2139
Armrest	Left-hand	100BC2142
Armrest	Right-hand	100BC2143
Slide rails		100BC2140
Switch	22 ohm	100BC2141
Switch	Fendt version	100BC2778
Switch	510/122 ohm	100BC2779
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2436
Roller kit		100BC2431
Compressor		100BC2432
Air spring		100BC2433
Complete suspension		100BC2437

Optional features	Description	REF
Seat belt	Retractor, ALR	100BC2145
Document holder		100BC2144



Pneumatic suspension



Dynamic damping system



Pneumatic lumbar support



Swivel



Automatic positioning system



Active seat climate system



Automatic weight system



Automatic shock absorber




Fore/aft isolation



Lateral suspension

MAXIMO DYNAMIC PLUS



With Dualmotion adaptive back support

- Dynamic dampening air suspension system (12 V compressor)
- Suspension stroke: 120 mm
- Air-assisted height adjustment: 80 mm
- Automatic weight adjustment
- Passive seat climate system
- Fore/aft adjustment: 210 mm
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable backrest angle
- Adaptive dualmotion back support
- Lateral suspension
- Seat cushion width: extra wide 565 mm
- 2-step seat heating
- Adjustable seat cushion depth & angle
- Dynamic dampening system
- Swivel: 7.5° left / 15° right
- Automatic shock absorber
- Armrests
 - Left: 80 x 380 mm, adjustable angle
 - Right: interface for multifunctional armrest
- APS (Automatic Positioning System)
- Document holder



Pneumatic suspension



Dynamic damping system



Pneumatic lumbar support



Swivel



Automatic positioning system



Passive seat climate system



Automatic weight system



Automatic shock absorber



Fore/aft isolation



Lateral suspension




Dualmotion

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2162

Spare parts	Description	REF
Seat cushion	Fabric	100BC2164
Backrest cushion	Fabric	100BC2165
Backrest extension	Fabric	100BC2166
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Slide rails		100BC2167
Switch		100BC2182
Switch	22 ohm	100BC2168
Switch	Fendt 510/122 ohm	100BC2169
Switch	Same 300/1500 bzw 2000/500 ohm	100BC2183
Switch	John Deere 3300/1031 ohm	100BC2184
Compensator	Same, John Deere, Fendt switch	100BC2170
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2443
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2444

Optional features	Description	REF
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Document holder		100BC2144

MAXIMO DYNAMIC (MSG 95AL/741 12 V)



High-comfort seat with dynamic dampening system.

- Dynamic dampening air suspension system (12 V compressor)
- Low-frequency air suspension
- Suspension stroke: 120 mm
- Air-assisted height adjustment: 80 mm
- Passive seat climate system
- Fore/aft adjustment: 210 mm
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable backrest angle
- Integrated backrest extension
- Horizontal suspension
- Lateral suspension
- Seat cushion width: extra wide 550 mm
- Seat heating
- Adjustable seat cushion length & angle
- Swivel: 20° left / right
- Dynamic dampening system
- Integrated backrest extension
- Armrests
 - Left: 80 x 380 mm, adjustable angle
 - Right: 80 x 380 mm, adjustable angle
- Suspension cover
- Document holder
- Electronically controlled suspension positioning system
- Automatic weight adjustment, delete entry



Pneumatic suspension



Dynamic damping system



Pneumatic lumbar support



Swivel



Automatic positioning system



Automatic shock absorber



Automatic weight system



Lateral suspension



Fore/aft isolation




Passive seat climate system

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2176

Spare parts	Description	REF
Seat cushion	Fabric	100BC2178
Backrest cushion	Fabric	100BC2179
Backrest extension	Fabric	100BC2180
Armrest	Left-hand, long 380 x 80 mm adjustable angle	100BC2171
Armrest	Right-hand, long 380 x 80 mm adjustable angle	100BC2172
Slide rails		100BC2181
Switch		100BC2182
Switch	22 ohm	100BC2168
Switch	Fendt 510/122 ohm	100BC2169
Switch	Same 300/1500 bzw 2000/500 ohm	100BC2183
Switch	John Deere 3300/1031 ohm	100BC2184
Compensator	Same, John Deere, Fendt switch	100BC2170
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2443
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2444

Optional features	Description	REF
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Document holder		100BC2144

MAXIMO PROFESSIONAL (MSG 95AL/731 12 V)



Pneumatic suspension



Low-frequency suspension



Mechanical lumbar support



Swivel



Automatic positioning system



Adjustable shock absorber



Automatic weight system



Fore/aft isolation

High-comfort seat with low-frequency suspension


- Low-frequency air suspension (12 V compressor)
- Suspension stroke: 100 mm
- Automatic weight adjustment
- Air-assisted height adjustment: 80 mm
- Suspension cover
- Swivel: 20° left / right
- Adjustable seat cushion length & angle
- Adjustable Head rest
- Height adjustable and foldable armrests
- Seat cushion width: extra wide 530 mm
- Adjustable shock absorber
- Integrated backrest extension
- Fore/aft isolator

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2204

Spare parts	Description	REF
Seat cushion	Fabric	100BC2206
Backrest cushion	Fabric	100BC2207
Backrest extension	Fabric, heated 12 V	100BC2208
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Cushion set	Fabric, heated 12 V	100BC2209
Slide rails		100BC2210
Switch		100BC2182
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2443
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2446
Complete suspension		100BC2447

Optional features	Description	REF
Seat belt	Retractor, ALR	100BC2145
Lateral suspension	Height: 18 mm	100BC2213
Document holder		100BC2144

MAXIMO COMFORT PLUS (MSG 95A/731 12 V)



Pneumatic suspension



Automatic weight system



Mechanical lumbar support



Fore/aft isolation



Automatic positioning system

Standard seat with automatic positioning system


- Air suspension (12 V compressor)
- Automatic weight adjustment
- APS Automatic Positioning System
- Adjustable seat base cushion
- Backrest adjustable anglement
- Height adjustable and foldable armrests
- Seat cushion width: extra wide 530 mm
- Integrated backrest extension
- Fore/aft isolator

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2202
Standard version	PVC (black)	100BC2219

Spare parts	Description	REF
Seat cushion	Fabric	100BC2206
Backrest cushion	Fabric	100BC2207
Cushion set	Fabric, heated 12 V	100BC2209
Backrest extension	Fabric, heated 12 V	100BC2208
Seat cushion	PVC	100BC2215
Backrest cushion	PVC	100BC2216
Backrest extension	PVC	100BC2217
Cushion set	PVC, heated 12 V	100BC2218
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Slide rails		100BC2210
Switch		100BC2182
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2443
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2448

Optional features	Description	REF
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Lateral suspension	Height: 18 mm	100BC2213
Document holder		100BC2144

MAXIMO COMFORT (MSG 95G/731 12 V)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Fore/aft isolation

Standard seat with pneumatic suspension.

- Air suspension (12 V compressor)
- Manual weight adjustment
- Suspension stroke: 100 mm
- Non-adjustable shock absorber
- Air-assisted height adjustment: 60 mm
- Fore/aft isolation
- Adjustable damper
- Slide rail adjustment: 210 mm
- Mechanical lumbar support
- Backrest adjustable anglement
- Height adjustable and foldable armrests
- Suspension cover
- Seat cushion width: extra wide 520 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2221
Standard version	PVC (black)	100BC2223

Spare parts	Description	REF
Seat cushion	Fabric	100BC2225
Backrest cushion	Fabric	100BC2207
Cushion set	Fabric, heated 12 V	100BC2226
Seat cushion	PVC	100BC2227
Backrest cushion	PVC	100BC2216
Cushion set	PVC, heated 12 V	100BC2228
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Slide rails		100BC2210
Switch		100BC2182
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2449
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2450

Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	100BC2208
Backrest extension	PVC	100BC2229
Seat belt	Retractor, ALR	100BC2145
Seat belt	Duo sensitive, ELR	100BC2232
Lateral suspension	Height: 18 mm	100BC2213
Document holder		100BC2144

SPECIAL EDITION (MSG 95G/721 12 V)



- Air suspension
- Manual weight adjustment: 50 - 130 kg
- Suspension stroke: 100 mm
- Air supported stepless height adjustment: 80 mm
- Manual weight adjustment
- Fore/aft isolation
- Slide rail adjustment: 210 mm
- Mechanical lumbar support
- Backrest adjustable anglement
- Height adjustable and foldable armrests: 65 x 270 mm
- Seat cushion width: 480 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with armrests)	100BC2233
Standard version	PVC (black) (with armrests)	100BC2235



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support




Fore/aft isolation

Spare parts	Description	REF
Seat cushion	Fabric	100BC2236
Backrest cushion	Fabric	100BC2237
Cushion set	Fabric, heated 12 V	100BC2239
Backrest extension	Fabric	100BC2240
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2242
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Slide rails		100BC2210
Switch		100BC2182
Shock absorber	Vertical	100BC2430
Shock absorber	Horizontal	100BC2445
Roller kit		100BC2431
Compressor		100BC2441
Air spring		100BC2433
Complete suspension		100BC2450

Optional features	Description	REF
Seat belt	Retractor, ALR	100BC2145
Seat belt	Duo sensitive, ELR	100BC2232
Lateral suspension	Height: 18 mm	100BC2213
Document holder		100BC2144

MAXIMO BASIC (MSG 85/721)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support



Fore/aft isolation

Standard seat with mechanical suspension

- Mechanical suspension
- Suspension stroke: 100 mm
- Shock absorber
- Adjustable backrest angle
- Height adjustment: 80 mm
- Manual weight adjustment
- Fore/aft adjustment: 210 mm
- Backrest adjustable anglement
- Armrests: 65 x 270 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with arm rests)	100BC2244
Standard version	PVC (with armrests, with belt)	100BC2764


Spare parts	Description	REF
Seat cushion	Fabric	100BC2246
Backrest cushion	Fabric	100BC2207
Cushion set	Fabric, heated 12 V	100BC2247
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2216
Cushion set	PVC, heated 12 V	100BC2248
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Slide rails		100BC2250
Switch		100BC2251
Shock absorber	Vertical	100BC2451
Roller kit		100BC2431
Compressor		100BC2441
Complete suspension		100BC2452

Optional features	Description	REF
Head rest	PVC	100BC2249
Backrest extension	Fabric, heated 12 V	100BC2208
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Seat belt	Duo sensitive, ELR	100BC2232
Lateral suspension	Height: 18 mm	100BC2213
Document holder		100BC2144

Product line COMPACT0/PRIMO Professional

In small tractor models such as vineyard and hopfield vehicles, seat comfort is often overlooked. The Compacto and Primo Professional are tailor-made to solve this, with different cushion widths available. Despite their small dimensions, they all boast standard GRAMMER suspension systems and seat and operating features. **Optimum seating comfort in a minimum of space.**

PRIMO PROFESSIONAL (MSG75GL/521/511)



- Low-profile, low-frequency suspension (12 V compressor)
- Height adjustment: 60 mm
- Weight adjustment: 45 - 170 kg
- Fore/aft adjustment: 210 mm
- Adjustable backrest angle
- Integrated backrest extension
- Mechanical lumbar support



Pneumatic suspension



Low-frequency suspension

Mechanical
lumbar support

Manual weight adjustment


Seats	Description	REF
Standard version	Fabric (anthracite-green-silver), PRIMO Prof M 12 V	<u>100BC2453</u>
Standard version	PVC (black), PRIMO Prof M 12 V	<u>100BC2455</u>
Standard version	Fabric (anthracite-green-silver), PRIMO Prof S 12 V	<u>100BC2457</u>
Standard version	PVC (black) PRIMO Prof S 12 V	<u>100BC2459</u>

Spare parts	Description	REF
Seat cushion	Fabric, 450 mm for Prof M	<u>100BC2265</u>
Seat cushion	Fabric, 400 mm for Prof S	<u>100BC2287</u>
Seat cushion	Fabric, 450 mm, heated 12 V, for PRIMO Prof M	<u>100BC2788</u>
Seat cushion	Fabric, heated 12 V	<u>100BC2288</u>
Backrest cushion	Fabric, 450 mm for Prof M	<u>100BC2267</u>
Backrest cushion	Fabric, 400 mm for Prof S	<u>100BC2289</u>
Backrest extension	Fabric, heated 12 V	<u>100BC2268</u>
Backrest cushion	Fabric, heated 12 V, 400 mm Prof S	<u>100BC2290</u>
Backrest cushion	Fabric	<u>100BC2269</u>
Seat cushion	PVC, 450 mm, for PRIMO Prof M	<u>100BC2270</u>
Seat cushion	PVC, 400 mm, for PRIMO Prof S	<u>100BC2291</u>
Seat cushion	PVC, heated 12 V, 450 mm for PRIMO Prof M	<u>100BC2271</u>
Seat cushion	PVC, heated 12 V, 400 mm for PRIMO Prof S	<u>100BC2292</u>
Backrest cushion	PVC	<u>100BC2272</u>
Backrest cushion	PVC, 400 mm for PRIMO Prof S	<u>100BC2293</u>
Backrest cushion	PVC, heated 12 V, 450 mm for PRIMO Prof M	<u>100BC2273</u>
Backrest cushion	PVC, heated 12 V, 400 mm for PRIMO Prof S	<u>100BC2294</u>
Backrest extension	PVC	<u>100BC2217</u>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<u>100BC2277</u>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<u>100BC2278</u>
Slide rails		<u>100BC2462</u>
Switch		<u>100BC2463</u>
Cable	Heating, 12 V	<u>100BC2464</u>
Shock absorber	Vertical	<u>100BC2465</u>
Compressor	12 V	<u>100BC2466</u>
Air spring		<u>100BC2467</u>

Optional features	Description	REF
Storage net		<u>100BC2469</u>
Seat belt	Static	<u>100BC2295</u>
Seat belt	Seat belt, ELR	<u>100BC2281</u>
Seat belt	Retractor with switch right ELR	<u>100BC2471</u>
Fore/aft isolation		<u>100BC2472</u>
Document holder		<u>100BC2144</u>

MODELS WITH AIR SUSPENSION

COMPACTO COMFORT W (MSG 93/721 12 V)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Fore/aft isolation


- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Mechanical lumbar support
- Adjustable backrest angle
- Fore/aft isolation
- Seat cushion width: 480 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2252
Standard version	PVC	100BC2254

Spare parts	Description	REF
Seat cushion	Fabric	100BC2246
Backrest cushion	Fabric	100BC2207
Cushion set	Fabric, heated 12 V	100BC2208
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2216
Cushion set	PVC, heated 12 V	100BC2248
Backrest extension	PVC	100BC2256
Slide rails		100BC2257
Switch		100BC2258
Cable set	Heating 12 V	100BC2768
Shock absorber	Vertical	100BC2473
Compressor		100BC2474
Air spring		100BC2475
Complete suspension		100BC2476

Optional features	Description	REF
Backrest extension	Fabric	100BC2247
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Lateral suspension		100BC2259
Document holder		100BC2144

COMPACTO COMFORT M (MSG 93/521 12 V)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support


- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Adjustable backrest angle
- Mechanical lumbar support
- Fore/aft adjustment
- Seat cushion width: 450 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2261
Standard version	PVC (black)	100BC2263

Spare parts	Description	REF
Seat cushion	Fabric	100BC2265
Seat cushion	Fabric, heated 12 V	100BC2266
Backrest cushion	Fabric	100BC2267
Backrest cushion	Fabric, heated 12 V	100BC2269
Seat cushion	PVC	100BC2270
Seat cushion	PVC, heated 12 V	100BC2271
Backrest cushion	PVC	100BC2272
Backrest cushion	PVC, heated 12 V	100BC2273
Slide rail		100BC2274
Switch		100BC2275
Cable set	Heating, 12 V	100BC2276
Shock absorber	Vertical	100BC2473
Compressor		100BC2474
Air spring		100BC2475

Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	100BC2268
Backrest extension	PVC	100BC2217
Armrest	Left-hand, 60 x 320 mm, adjustable angle	100BC2277
Armrest	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Armrest	Left-hand, 65 x 270 mm	100BC2279
Armrest	Right-hand, 65 x 270 mm	100BC2280
Seat belt	Seat belt, ELR	100BC2281
Lateral suspension		100BC2282
Document holder		100BC2144

COMPACTO COMFORT S (MSG 93/511 12 V)



Note: restricted field of application, only to be fitted on narrow-track tractors with a minimum track width of ≤ 1150 mm at the rear wheels.



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support


- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Adjustable backrest angle
- Mechanical lumbar support
- Fore/aft adjustment
- Seat cushion width: 400 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2283
Standard version	PVC (black)	100BC2285

Spare parts	Description	REF
Seat cushion	Fabric	100BC2287
Seat cushion	Fabric, heated 12 V	100BC2288
Backrest cushion	Fabric	100BC2289
Backrest cushion	Fabric, heated 12 V	100BC2290
Backrest cushion	Fabric, heated 12 V	100BC2269
Seat cushion	PVC	100BC2291
Seat cushion	PVC, heated 12 V	100BC2292
Backrest cushion	PVC, heated 12 V	100BC2293
Backrest cushion	PVC, heated 12 V	100BC2294
Slide rail		100BC2274
Switch		100BC2275
Cable set	Heating, 12 V	100BC2276
Shock absorber	Vertical	100BC2473
Compressor		100BC2474
Air spring		100BC2475
Suspension	Upper part	100BC2477
Suspension	Lower part	100BC2478

Optional features	Description	REF
Backrest extension	PVC	100BC2217
Armrest	Left-hand, 60 x 320 mm, adjustable angle	100BC2277
Armrest	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Armrest	Left-hand, 65 x 270 mm	100BC2279
Armrest	Right-hand, 65 x 270 mm	100BC2280
Seat belt	Static	100BC2295
Seat belt	Seat belt, ELR	100BC2281
Lateral suspension	18 mm	100BC2296
Document holder		100BC2144

COMPACTO BASIC W (MSG 83/721)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support


- Mechanical suspension
- 3-step height adjustment 50 - 130 kg
- Adjustable lumbar support
- Adjustable backrest angle
- Seat cushion width: 480 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2306
Standard version	PVC (black)	100BC2308

Spare parts	Description	REF
Seat cushion	Fabric	100BC2246
Backrest cushion	Fabric	100BC2207
Backrest extension	Fabric, heated 12 V	100BC2208
Cushion set	Fabric, heated 12 V	100BC2310
Seat cushion	PVC	100BC2241
Backrest cushion	PVC	100BC2216
Head rest	PVC	100BC2256
Cushion set	PVC, heated 12 V	100BC2248
Slide rail		100BC2311
Switch		100BC2258
Shock absorber	Vertical	100BC2473
Complete suspension		100BC2480

Optional features	Description	REF
Armrest	Left-hand, 380 x 80 mm, adjustable angle	100BC2211
Armrest	Right-hand, 380 x 80 mm, adjustable angle	100BC2212
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	100BC2230
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	100BC2231
Seat belt	Static	100BC2786
Seat belt	Retractor, ALR	100BC2145
Lateral suspension		100BC2259
Document holder		100BC2144

COMPACTO BASIC M (MSG 83/521)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

- Mechanical suspension
- 3-step height adjustment: 50 - 130 kg
- Adjustable lumbar support
- Adjustable backrest angle
- Fore/aft adjustment
- Seat cushion width: 450 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2312
Standard version	PVC (black)	100BC2314

Spare parts	Description	REF
Seat cushion	Fabric	100BC2316
Seat cushion	Fabric, heated 12 V	100BC2317
Backrest cushion	Fabric	100BC2267
Backrest cushion	Fabric, heated 12 V	100BC2269
Seat cushion	PVC	100BC2270
Seat cushion	PVC, heated 12 V	100BC2271
Backrest cushion	PVC	100BC2272
Backrest cushion	PVC, heated 12 V	100BC2273
Slide rail		100BC2274
Switch		100BC2275
Cable set	Heating, 12 V	100BC2276
Adapter	Cable ops	100BC2318
Shock absorber	Vertical	100BC2473
Roller kit		100BC2481
Complete suspension		100BC2480

Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	100BC2268
Head rest	PVC	100BC2249
Armrest	Left-hand, 60 x 320 mm, adjustable angle	100BC2277
Armrest	Right-hand, 60 x 320 mm, adjustable angle	100BC2278
Armrest	Left-hand, 65 x 270 mm	100BC2279
Armrest	Right-hand, 65 x 270 mm	100BC2280
Seat belt	Seat belt, ELR	100BC2281
Lateral suspension	18 mm	100BC2296
Document holder		100BC2144

COMPACTO BASIC XM





- Mechanical suspension
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Additional height limiter
- Suspension stroke: 60 mm

Seats	Description	REF
Standard version	PVC (black)	100BC2297

Spare parts	Description	REF
Seat cushion	PVC	100BC2299
Backrest cushion	PVC	100BC2300
Switch		100BC2301
Seat pan		100BC2302


Optional features	Description	REF
Seat belt	Static	100BC2304
Seat belt	Retractor	100BC2305
Document holder		100BC2303



Mechanical suspension



Manual weight adjustment

Mechanical
lumbar support

- Mechanical suspension
- Horizontal suspension
- Suspension stroke: 80 mm
- Infinitely variable height adjustment: 60 mm
- Horizontal adjustment: 180 mm
- Adjustable backrest angle
- Adjustable lumbar support
- Air-assisted automatic weight adjustment: 50 - 130 kg
- Fore/aft adjustment
- Seat cushion width: 400 mm

Spare parts	Description	REF
Seat cushion	Fabric	<u>100BC2287</u>
Seat cushion	Fabric, heated 12 V	<u>100BC2288</u>
Backrest cushion	Fabric	<u>100BC2289</u>
Backrest cushion	Fabric, heated 12 V	<u>100BC2290</u>
Backrest cushion	Fabric, heated 12 V	<u>100BC2269</u>
Seat cushion	PVC	<u>100BC2291</u>
Seat cushion	PVC, heated 12 V	<u>100BC2292</u>
Backrest cushion	PVC, heated 12 V	<u>100BC2294</u>
Slide rail		<u>100BC2274</u>
Switch		<u>100BC2275</u>
Cable set	Heating, 12 V	<u>100BC2276</u>
Adapter	Cable ops	<u>100BC2318</u>
Shock absorber	Vertical	<u>100BC2473</u>
Roller kit		<u>100BC2481</u>
Complete suspension		<u>100BC2480</u>

Optional features	Description	REF
Backrest extension	PVC	<u>100BC2217</u>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<u>100BC2277</u>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<u>100BC2278</u>
Armrest	Left-hand, 65 x 270 mm	<u>100BC2279</u>
Armrest	Right-hand, 65 x 270 mm	<u>100BC2280</u>
Seat belt	Static	<u>100BC2295</u>
Lateral suspension		<u>100BC2282</u>
Document holder		<u>100BC2144</u>

COMPACTO BASIC XS




- Mechanical suspension
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Additional height limiter
- Suspension stroke: 60 mm

Seats	Description	REF
Standard version	PVC (black)	100BC2324

Spare parts	Description	REF
Backrest extension	PVC	100BC2326

Optional features	Description	REF
Seat belt	Seat belt, ELR	100BC2327



Mechanical suspension




Manual weight adjustment

Product line UNIVERSO

The new Universo has all the features that make sitting a pleasure: a tapered backrest for greater freedom of movement, improved lateral support, an optimum seat cushion angle and multi-function ventilation channels. Furthermore, it is easy to maintain, equipped with replaceable cushions and is available in waterproof imitation leather or heavy-duty fabric.

Suspension so good you don't know it's there.

UNIVERSO BASIC PLUS (MSG 44/520)



- Mechanical suspension
- Height adjustment
- Weight adjustment: 50 - 130 kg
- Control levers ergonomically placed
- Lateral suspension
- Fore/aft adjustment
- Fore/aft isolation

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with backrest extension) (with arm rests)	100BC2328
Standard version	PVC (black)	100BC2342

Spare parts	Description	REF
Seat cushion	Fabric	100BC2331
Backrest cushion	Fabric	100BC2332
Backrest extension	Fabric	100BC2333
Seat cushion	PVC	100BC2299
Backrest cushion	PVC	100BC2300
Backrest extension	PVC	100BC2256
Armrest	Left-hand, 54 x 300 mm	100BC2335
Armrest	Right-hand, 54 x 300 mm	100BC2336
Slide rail		100BC2334
Shock absorber	Vertical	100BC2482



Mechanical suspension




Manual weight adjustment



Fore/aft isolation

Optional features	Description	REF
Seat belt	Static	100BC2337
Lap belt	Retractor	100BC2338
Lateral suspension		100BC2339
Option	Vario-cons angular assy for KHD / John Deere	100BC2340
Option	Step-console for Fendt series 102 - 108	100BC2341
Document holder		100BC2144

UNIVERSO BASIC (MSG 44/520)



Mechanical suspension



Manual weight adjustment

- Mechanical suspension
- Height adjustment
- Weight adjustment: 50 - 130 kg
- Control levers ergonomically placed
- Fore/aft adjustment

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	100BC2342
Standard version	PVC (black)	100BC2343

Spare parts	Description	REF
Seat cushion	Fabric	100BC2331
Backrest cushion	Fabric	100BC2332
Seat cushion	PVC	100BC2299
Backrest cushion	PVC	100BC2300
Slide rails		100BC2345

Optional features	Description	REF
Backrest extension	Fabric	100BC2333
Backrest extension	PVC	100BC2256
Armrest	Left-hand, 54 x 300 mm	100BC2335
Armrest	Right-hand, 54 x 300 mm	100BC2336
Seat belt	Static	100BC2337
Lap belt	Retractor	100BC2338
Option	Vario-cons angular assy for KHD / John Deere	100BC2340
Option	Step-console for Fendt series 102 - 108	100BC2341
Document holder		100BC2144

DS44/1B




- Mechanical suspension
- Weight adjustment: 50 - 130 kg
- Fore/aft adjustment

Seats	Description	REF
Standard version	PVC (black)	100BC2346

Spare parts	Description	REF
Seat cushion	Fabric	100BC2347
Backrest cushion	Fabric	100BC2348
Seat cushion	PVC	100BC2349
Backrest cushion	PVC	100BC2350
Backrest extension	PVC	100BC2256

Optional features	Description	REF
Armrest	Left-hand, 65 x 270 mm, folding	100BC2351
Armrest	Right-hand, 65 x 270 mm, folding	100BC2352
Seat belt	Static	100BC2337
Seat belt	Retractor, ALR	100BC2338
Facility for lumbar support		100BC2353



Mechanical suspension



Manual weight adjustment



Handwriting practice area with horizontal dotted lines.




NOTES

Handwriting practice area with horizontal dotted lines.



TVH PARTS HOLDING AROUND THE WORLD



TVH

BEPCO

AUSTRALIA
TVH AUSTRALIA PTY LTD
Dandenong South (Melbourne, Victoria) -
Richlands (Brisbane, Queensland) -
Welsphool (Perth, West Australia) -
Wetherill Park (Sydney, New South Wales) -
Wingfield (Adelaide, South Australia)

BELGIUM
TVH PARTS HOLDING NV
Waregem
TVH PARTS NV
Waregem
BEPCO PARTS SA
Hermalle-sous-Huy - Villers-le-Bouillet

BRASIL
TVH DO BRASIL LTDA
Vinhedo

BULGARIA
TVH BULGARIA LTD
Ruse

CANADA
TVH CANADA LTD
Mississauga (Ontario) - Port Coquitlam (British Columbia)

CHINA
TVH TRADING (SHANGHAI) CO, LTD
Shanghai - Tianjin

FRANCE
TVH FRANCE SASU
Wattrelos
FRANCE HAYON SERVICE SAS
Châteaubourg
GLACES DISTRIBUTION INTERNATIONALE - G.D.I. SAS
Beaufort-en-Vallée
BEPCO FRANCE
Agen - Janzé - Villeneuve-sur-Lot

GERMANY
TVH DEUTSCHLAND GMBH
Soest
GLASSINTER GMBH
Kirchheim unter Teck
BEPCO DEUTSCHLAND GMBH
Soest

INDIA
TVH INDIA PVT LTD
Pune

ITALY
TVH ITALIA SRL
Marano Ticino (Novara) - Settimo Torinese (Torino)
CAM SRL
Marano Ticino (Novara)
ULIVIERI GSE SRL
Massarosa - Marano Ticino (Novara) -
Settimo Torinese (Torino) - Fiumucino (Rome)

MALAYSIA
TVH MALAYSIA SDN BHD
Johor Bahru - Shah Alam (Kuala Lumpur)

MEXICO
TVH PARTS MEXICO, S. DE R.L. DE C.V.
Cuautitlán Izcalli (Mexico City)

NETHERLANDS
BEPCO NEDERLAND BV
Heeswijk-Dinther

NEW ZEALAND
TVH NEW ZEALAND LTD
Christchurch - East Tamaki (Auckland)

POLAND
TVH POLSKA SP. Z O.O.
Tychy
AGRO-JAN SP. Z O.O.
Myslenice
AGRO-JAN DYSTRYBUCA SP. Z O.O.
Myslenice
AGRO-JAN PRODUKCJA SP. Z O.O.
Myslenice

ROMANIA
AGRO-JAN ROMANIA SRL
Negoesti

RUSSIA
TVH RUS LLC
Dubrovka (Moscow)

SINGAPORE
TVH SINGAPORE PTE LTD
Jurong

SOUTH AFRICA
TVH PARTS SOUTH AFRICA LTD
Durban - Isando (Johannesburg) -
Korsten (Port Elizabeth) - Kraaifontein (Cape Town) -
Lichtenburg - Richards Bay

SPAIN
TVH IBERICA 2008 SL
Badalona (Barcelona)
COMERCIAL AGRINAVA SL
Pamplona (Navarra)
BEPCO IBERICA SA
Almendralejo (Badajoz) - Badalona (Barcelona) -
Dos Hermanas (Sevilla) -
Santiago de Compostella (A Coruña) - Zaragoza (Zaragoza)

SWEDEN
TVH NORDIC AB
Ed

THAILAND
TVH PARTS (THAILAND) LIMITED
Bangkok

TURKEY
TVH YEDEK PARCA TICARET AŞ
Arnavutköy (Istanbul, European) - Tuzla (Istanbul, Asian)

UKRAINE
BEPCO UKRAINA SP Z O.O.
Tarnopol

UNITED ARAB EMIRATES
TVH MIDDLE EAST FZE
Sharjah

UNITED KINGDOM
TVH UK LIMITED
Coventry
RENTACLAMP (COVENTRY) LIMITED
Coventry
BEPCO UK LIMITED
Hartlebury

USA
TVH PARTS CO
Duncan (South Carolina) - Fresno (California) - Grayslake (Illinois) -
Harrisburg (Pennsylvania) - Miami (Florida) - Mira Loma (California) -
Olathe (Kansas) - Portland (Oregon) - Shreveport (Louisiana)
C-TECH INDUSTRIES LLC
West Chester Township (Ohio)
SUPERIOR SIGNALS, INC
Olathe (Kansas)
FLIGHT SYSTEMS INDUSTRIAL PRODUCTS
Carlisle (Pennsylvania)



SALES REPRESENTATION IN THE FOLLOWING COUNTRIES:

Albania, Algeria, Austria, Bahrain, Belarus, Benin, Bosnia, Botswana, Canary Islands, Croatia, Cyprus, Denmark, Djibouti, Egypt, Estonia, Finland, Ghana, Greece, Hong Kong, Iceland, Ireland, Kosovo, Kuwait, Latvia, Lesotho, Libya, Lithuania, Macedonia, Malawi, Malta, Morocco, Mauritania, Moldova Republic, Montenegro, Mozambique, Namibia, Nigeria, Norway, Oman, Pakistan, Portugal, Qatar, Saudi Arabia, Serbia, Slovenia, Swaziland, Switzerland, Taiwan, Togo, Tunisia, Ukraine, Yemen, Zambia, Zimbabwe.



www.tvh.com





Go to **downloads**
on **www.tvh.com**
to find all catalogues.

Bepco Seats & accessories

REF 90/999-238

Look up seats, accessories and replacement parts for your agricultural equipment in this catalogue.

Seats & accessories

REF 27506014

Seat pans, narrow seats, standard seats, universal seats, anti-static & heated seats, accessories and safety systems.



AT YOUR SERVICE
IN **37** LANGUAGES
info@tvh.com



Quality parts cheaper



FOLLOW US



PARTS & ACCESSORIES



TVH PARTS NV

Brabantstraat 15 · 8790 Waregem · Belgium
T +32 56 43 42 11 · F +32 56 43 44 88 · info@tvh.com · www.tvh.com